AUTHOR INDEX

ANDERSON, R. C., Computer modeling of optical trackers, 124
BELSHER, J. F., Scene matching with feature detection, 12
BERRY, J. E., Geometric preprocessing of sensor data used for image matching, 2
BLODGETT, J. A., Digital image multiple-frame restoration through atmospheric and instrumental noises, 148
BLUMENTHAL, A. F., Map-matching techniques for terminal guidance using Fourier phase information, 21
BOULDIN, DONALD W., Edge operator improvement using feedback, 160
BOYD, W. W., Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
BROLLEY, JOHN E., Edge and line enhancement by adaptive lattice filtering, 232
BRYANT, DAVID J., Edge operator improvement using feedback, 160
CALLARY, P. R., Computer modeling of optical trackers, 124
CAULFIELD, H. J., Preprocessing of multispectral images for image processing, 131
CHOATE, W. C., Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
CLARK, C. S., High-accuracy model matching for scenes containing man-made structures, 54
COHEN, DANNY, VLSI system for synthetic aperture radar (SAR) processing, 166
DASARATHY, BELUR V., CODE: cognition of deliberate entrants to a scene, 208
DAVIES, DAVID L., Discontinuous registration of industrial radiographs using profile analysis and piecewise correlation techniques, 63
DRAPER, J. S., Preprocessing of multispectral images for image processing, 131
ECKHARDT, W. O., High-accuracy model matching for scenes containing man-made structures, 54
GEROS, JAMES M., Performance evaluation of image correlation techniques, 197
GERSON, GORDON, Guidance system position update by multiple subarea correlation, 30
GROSCH, CHARLES B., Three-dimensional surface shell correlator, 41
GROSCH, C. B., Automatic stereo reconstruction of man-made targets, 240
HAIMES, R., Preprocessing of multispectral images for image processing, 131
HALL, ERNEST L., Measuring scene content from aerial images, 215
HALL, ERNEST L., Segmentation using material information, 254
HENDERSON, ROBERT L., Automatic stereo reconstruction of man-made targets, 240
HILLER, EDWIN R., Map-matching technique for synthetic aperture radar images, 115
HWANG, J. J., Measuring scene content from aerial images, 215
HWANG, M., Measuring scene content from aerial images, 215
KIN, R. H. Scene matching with feature detection, 12
KOBER, WOLFGANG, Three-dimensional surface shell correlator, 41
KUGLIN, C. D., Map-matching techniques for terminal guidance using Fourier phase information, 21
LACINA, WILLIAM B., Passive determination of three-dimensional form from dynamic imagery, 178
LAHART, M. J., Image restoration with a locally variable Wiener filter, 135
LEE, C. C., Measuring scene content from aerial images, 215
LEE, J. S., Digital image multiple-frame restoration through atmospheric and instrumental noises, 148
LEIB, K., Digital analysis of the effects of terrain clutter on the performance of matched filters for target identification and location, 190
LIUTERMOZA, JOHN F., Discontinuous registration of industrial radiographs using profile analysis and piecewise correlation techniques, 63
LO, THOMAS K., Guidance system position update by multiple subarea correlation, 30
McNARY, C. A., High-accuracy model matching for scenes containing man-made structures, 54
MENDELSOHN, J., Digital analysis of the effects of terrain clutter on the performance of matched filters for target identification and location, 190
MERCHANT, JOHN, Full-frame image registration by address modification, 49
MILLER, WALTER J., Automatic stereo reconstruction of man-made targets, 240
MITCHELL, RICHARD J., Surface-shadow generation for the preparation of synthetic imagery, 249
MOOTY, E. E., Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
MOSTAFAVI, H., Optimum windows for image registration, 98
NEVATIA, R., High-accuracy model matching for scenes containing man-made structures, 54
NICHOLSON, WILLIAM Q., Passive determination of three-dimensional form from dynamic imagery, 178
OLIN, K. E., High-accuracy model matching for scenes containing man-made structures, 54
OTTESEN, R. B., Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
PEARSON, J. J., Map-matching techniques for terminal guidance using Fourier phase information, 21
PIETSCH, ROY, Source of digital high-resolution synthetic aperture radar aerial imagery for digital processing investigations, 142
POULSEN, R. S., Optimum windows for image registration, 98
PRIDGEN, J. H., Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
RASCO, SR., WILLIAM A., Source of digital high-resolution synthetic aperture radar aerial imagery for digital processing investigations, 142
ROSENTHAL, TOM, Three-dimensional surface shell correlator, 41
SADJADI, FIROOZ A., Segmentation using material information, 254
SMITH, FRED W., Optimum filters for image registration, 88
SMITH, F. W., Optimum windows for image registration, 98
SMITH, PETER H., Discontinuous registration of industrial radiographs using profile analysis and piecewise correlation techniques, 63
STEDING, THOMAS L., Optimum filters for image registration, 88
STEDING, T. L., Optimum windows for image registration, 98
SZU, HWALING HAROLD, Digital image multiple-frame restoration through atmospheric and instrumental noises, 148
THOMASON, MICHAEL G., Applications of probabilistic information theory to relational databases, 224
TYREE, VANCE, VLSI system for synthetic aperture radar (SAR) processing, 166
VanORDEN, E. M., High-accuracy model matching for scenes containing man-made structures, 54
WILLIAMS, H. F., Scene matching with feature detection, 12
WITSMEER, A. J., Performance evaluation of image correlation techniques, 197
WOHLERS, M., Digital analysis of the effects of terrain clutter on the performance of matched filters for target identification and location, 190
WONG, ROBERT Y., Radar to optical scene matching, 108
YOO, J. K., Geometric preprocessing of sensor data used for image matching, 2

SUBJECT INDEX

Adaptive lattice filtering, edge and line enhancement by, 232
Address modification, full-frame image registration by, 49
Aerial imagery for digital processing investigations, source of digital high-resolution synthetic aperture radar, 142
Aerial images, measuring scene content from, 215
Analysis of the effects of terrain clutter on the performance of matched filters for target identification and location, digital, 190
Analysis and piecewise correlation techniques, discontinuous registration of industrial radiographs using profile, 63
Aperture radar aerial imagery for digital processing investigations, source of digital high-resolution synthetic, 142
Aperture radar images, map-matching technique for synthetic, 115
Aperture radar (SAR) processing, VLSI system for synthetic, 166
Applications of probabilistic information theory to relational databases, 224
Atmospheric and instrumental noises, digital image multiple-frame restoration through, 148
Automatic stereo reconstruction of man-made targets, 240

CODE: cognition of deliberate entrants to a scene, 208
Clutter on the performance of matched filters for target identification and location, digital analysis of the effects of terrain, 190
Cognition of deliberate entrants to a scene, CODE:, 208
Composite tracking concepts, terminal homing applications of solid-state imaging devices (THASSID), 73
Computer modeling of optical trackers, 124
Content from aerial images, measuring scene, 215
Correlation, guidance system position update by multiple subarea, 30
Correlation techniques, discontinuous registration of industrial radiographs using profile analysis and piecewise, 63
Correlation techniques, performance evaluation of image, 197
Correlator, three-dimensional surface shell, 41

Databases, applications of probabilistic information theory to relational, 224
Data used for image matching, geometric preprocessing of sensor, 2
Deliberate entrants to a scene, CODE: cognition of, 208
Detection, scene matching with feature, 12
Determination of three-dimensional form from dynamic imagery, passive, 178
Digital analysis of the effects of terrain clutter on the performance of matched filters for target identification and location, 190
Digital high-resolution synthetic aperture radar aerial imagery for digital processing investigations, source of, 142
Digital image multiple-frame restoration through atmospheric and instrumental noises, 148
Digital processing investigations, source of digital high-resolution synthetic aperture radar aerial imagery for, 142
Discontinuous registration of industrial radiographs using profile analysis and piecewise correlation techniques, 63
Dynamic imagery, passive determination of three-dimensional form from, 178

Edge and line enhancement by adaptive lattice filtering, 232
Edge operator improvement using feedback, 160
Enhancement by adaptive lattice filtering, edge and line, 232
Entrants to a scene, CODE: cognition of deliberate, 208
Evaluation of image correlation techniques, performance, 197

Feature detection, scene matching with, 12
Feedback, edge operator improvement using, 160
Filter, image restoration with a locally variable, 135
Filtering, edge and line enhancement by adaptive lattice, 232
Filters for image registration, optimum, 88
Filters for target identification and location, digital analysis of the effects of terrain clutter on the performance of matched, 190
Fourier phase information, map-matching techniques for terminal guidance using, 21
Full-frame image registration by address modification, 49

Generation for the preparation of synthetic imagery, surface-shadow, 249
Geometric preprocessing of sensor data used for image matching, 2
Guidance system position update by multiple subarea correlation, 30
Guidance using Fourier phase information, map-matching techniques for terminal, 21

High-accuracy model matching for scenes containing man-made structures, 54
High-resolution synthetic aperture radar aerial imagery for digital processing investigations, source of digital, 142
Homing applications of solid-state imaging devices (THASSID) composite tracking concepts, terminal, 73

Identification and location, digital analysis of the effects of terrain clutter on the performance of matched filters for target, 190
Image correlation techniques, performance evaluation of, 197
Image matching, geometric preprocessing of sensor data used for, 2
Image multiple-frame restoration through atmospheric and instrumental noises, digital, 148
Image processing, preprocessing of multispectral images for, 131
Image registration by address modification, full-frame, 49
Image registration, optimum filters for, 88
Image registration, optimum windows for, 98
Image restoration with a locally variable Wiener filter, 135
Imagery for digital processing investigations, source of digital high-resolution synthetic aperture radar aerial, 142
Imagery, passive determination of three-dimensional form from dynamic, 178
Imagery, surface-shadow generation for the preparation of synthetic, 249
Images for image processing, preprocessing of multispectral, 131
Images, map-matching technique for synthetic aperture radar, 115
Images, measuring scene content from aerial, 215
Imaging devices (THASSID) composite tracking concepts, terminal homing applications of solid-state, 73
Industrial radiographs using profile analysis and piecewise correlation techniques, discontinuous registration of, 63
Information segmentation using material, 254
Information theory to relational databases, applications of probabilistic, 224
Instrumental noises, digital image multiple-frame restoration through atmospheric and, 148

Lattice filtering, edge and line enhancement by adaptive, 232
Line enhancement by adaptive lattice filtering, edge and, 232
Locally variable Wiener filter, image restoration with a, 135

Man-made structures, high-accuracy model matching for scenes containing, 54
Man-made targets, automatic stereo reconstruction of, 240
Map-matching technique for synthetic aperture radar images, 115
Map-matching techniques for terminal guidance using Fourier phase information, 21
Matched filters for target identification and location, digital analysis of the effects of terrain clutter on the performance of, 190
Matching with feature detection, scene, 12
Matching, geometric preprocessing of sensor data used for image, 2
Matching, radar to optical scene, 108
Matching for scenes containing man-made structures, high-accuracy model, 54
Matching technique for synthetic aperture radar images, map-, 115
Matching techniques for terminal guidance using Fourier phase information, map-, 21
Material information, segmentation using, 254
Measuring scene content from aerial images, 215
Model matching for scenes containing man-made structures, high-accuracy, 54
Modeling of optical trackers, computer, 124

Modification, full-frame image registration by address, 49
Multiple-frame restoration through atmospheric and instrumental noises, digital image, 148
Multiple subarea correlation, guidance system position update by, 30
Multispectral images for image processing, preprocessing of, 131

Noises, digital image multiple-frame restoration through atmospheric and instrumental, 148

Operator improvement using feedback, edge, 160
Optical scene matching, radar to, 108
Optical trackers, computer modeling of, 124
Optimum filters for image registration, 88
Optimum windows for image registration, 98

Passive determination of three-dimensional form from dynamic imagery, 178
Performance evaluation of image correlation techniques, 197
Phase information, map-matching techniques for terminal guidance using Fourier, 21
Piecewise correlation techniques, discontinuous registration of industrial radiographs using profile analysis and, 63
Preprocessing of multispectral images for image processing, 131
Preprocessing of sensor data used for image matching, geometric, 2
Probabilistic information theory to relational databases, applications of, 224
Processing investigations, source of digital high-resolution synthetic aperture radar aerial imagery for digital, 142
Processing, preprocessing of multispectral images for image, 131
Processing, VLSI system for synthetic aperture radar (SAR), 166
Profile analysis and piecewise correlation techniques, discontinuous registration of industrial radiographs using, 63

Radar aerial imagery for digital processing investigations, source of digital high-resolution synthetic aperture, 142
Radar images, map-matching technique for synthetic aperture, 115
Radar to optical scene matching, 108
Radar (SAR) processing, VLSI system for synthetic aperture, 166
Radiographs using profile analysis and piecewise correlation techniques, discontinuous registration of industrial, 63
Reconstruction of man-made targets, automatic stereo, 240
Registration by address modification, full-frame image, 49
Registration of industrial radiographs using profile analysis and piecewise correlation techniques, discontinuous, 63
Registration, optimum filters for image, 88
Registration, optimum windows for image, 98
Relational databases, applications of probabilistic information theory to, 224
Restoration through atmospheric and instrumental noises, digital image multiple-frame, 148
Restoration with a locally variable Wiener filter, image, 135
(SAR) processing, VLSI system for synthetic aperture radar, 166
Scene, CODE: cognition of deliberate entrants to a, 208
Scene content from aerial images, measuring, 215
Scene matching with feature detection, 12
Scene matching, radar to optical, 108
Scenes containing man-made structures, high-accuracy model matching for, 54
Segmentation using material information, 254
Sensor data used for image matching, geometric preprocessing of, 2
Shadow generation for the preparation of synthetic imagery, surface-, 249
Shell correlator, three-dimensional surface, 41
Solid-state imaging devices (THASSID) composite tracking concepts, terminal homing applications of, 73
Source of digital high-resolution synthetic aperture radar aerial imagery for digital processing investigations, 142
Stereo reconstruction of man-made targets, automatic, 240
Structures, high-accuracy model matching for scenes containing man-made, 54
Subarea correlation, guidance system position update by multiple, 30
Surface-shadow generation for the preparation of synthetic imagery, 249
Surface shell correlator, three-dimensional, 41
Synthetic aperture radar aerial imagery for digital processing investigations, source of digital high-resolution, 142
Synthetic aperture radar images, map-matching technique for, 115
Synthetic aperture radar (SAR) processing, VLSI system for, 166
Synthetic imagery, surface-shadow generation for the preparation of, 249

(THASSID) composite tracking concepts, terminal homing applications of solid-state imaging devices, 73
Target identification and location, digital analysis of the effects of terrain clutter on the performance of matched filters for, 190
Targets, automatic stereo reconstruction of man-made, 240
Terminal guidance using Fourier phase information, map-matching techniques for, 21
Terminal homing applications of solid-state imaging devices (THASSID) composite tracking concepts, 73
Terrain clutter on the performance of matched filters for target indentification and location, digital analysis of the effects of, 190
Theory to relational databases, applications of probabilistic information, 224
Three-dimensional form from dynamic imagery, passive determination of, 178
Three-dimensional surface shell correlator, 41
Trackers, computer modeling of optical, 124
Tracking concepts, terminal homing applications of solid-state imaging devices (THASSID) composite, 73

Variable Wiener filter, image restoration with a locally, 135
VLSI system for synthetic aperture radar (SAR) processing, 166

Wiener filter, image restoration with a locally variable, 135
Windows for image registration, optimum, 98